

## Boomlift / Manlift

Used Boom Lift Santa Ana - In terms of popular aerial machinery, the boom lift is one of the most recognizable. Boom lifts go by numerous names including cherry pickers, elevating work platforms, aerial platforms, aerial devices and mobile elevating work platforms; created to conduct jobs at higher elevations. Many industries rely on boom lifts every day including retail locations, construction contractors, companies and warehouses. Staying safe while working at high altitude is essential for daily success. The material handling industry offers many boom lift models. A single operator can control a variety of boom lift models. This equipment became popular in the orchard industry to harvest fruit without having to climb a ladder and balance heavy baskets or pails. It can be difficult to secure a ladder on farmland or in orchard settings. Relying on a boom lift is an easier and safer way to reach tree tops. Gaining Access Over Obstacles Boom lifts make working over top of obstacle much easier as many models have been engineered to travel up and over items. Boom lifts can reach items even when it is impossible to move the machine right underneath the area you are working in, making it possible to fix overhead cables within telephone line and pole installation, window cleaning applications and similar circumstances. The articulated boom lift is an example that has numerous joints enabling it to bend over or under items. The articulated boom sections can move independently to grant operators access to many locations. This equipment is popular in narrow storage locations and hallways thanks to its' tight turning radius. The dual-fuel boom lifts provide service in both exterior and interior locations. Diesel models are used outside while electric boom lifts are implemented in interior locations. Articulating Boom Lifts Articulated boom lifts are commonly found on construction sites and used in maintenance applications. Articulated boom lifts are utilized commonly for working on overhead power lines and wires. Firefighters even rely on them and some models feature water cannons. Maximum reach can be attained with telescoping boom sections on certain models. There are articulating boom lifts complete with an additional jib that allows the platform to extend an extra 6 feet in any direction. The nickname "spiders" has been given to these boom lifts due to their legs which can support the machine on rough or steep terrain. Interior articulating boom lifts are smaller and able to fit through doorways for use inside storage, warehouse and retail capacities. Electric models are preferred in interior situations due to the danger that carbon monoxide exhaust poses and how much quieter these models are. Telescopic Boom Lifts Telescopic boom lifts do not bend the way articulating boom lifts do. Instead, they extend outwards and upwards with hydraulics that retract and extend. No second operator is required as the platform operator can extend the lift with the controls. Certain larger and taller models feature a jib located close to the top similar to an articulating boom lift model. Boom lifts are available that reach higher than one-hundred and eighty feet. In less than a minute, some models can reach their full extended height since these machines are so stable and reliable. Adjustable speed, along with varying weight range capacities from 500 to 1000 lbs. are available in dual-fuel and diesel options. Available in 4WD and the ability to fit through small spaces. In terms of combining height and reach, telescopic boom lifts are your best bet. Jib Certain boom lift models have a jib or an extension located between the platform and the end of the main boom. This design facilitates an extra hinge or articulation point to enable the platform to move up and down or horizontally. Jibs are an option on many telescoping and articulating boom lifts. Articulating models have a joint situated roughly halfway between the wheels and the platform to enable it to reach over an obstacle and then lower again if required. Genie Articulating Boom Lifts A popular type of articulating boom lift manufactured on the market is the Genie Z-boom Model. This model features excellent mobility and is capable of accessing hard to reach areas. The machine can lift up, over and out with ease, making difficult locations easy to work with. In 1985, the first Genie Z-30/20 articulating Z-boom was introduced; their up-and-over capacity make them instantly popular and this design continues today. Proper Safety Measures Of course, safety is the highest priority when operating any type of boom lift. All known safety hazards must be known to anyone working within

the vicinity. Safely operating the equipment is a top priority for the operator and everyone in the working environment. Proper safety gear and communication need to be completed prior to operating. Prior to operating, ensure there are no open flames, combustible or flammable items, lit cigarettes, battery gases or engine fuels present. For the ultimate safety, it is important to have a visible, safely mounted and accessible fire extinguisher within the operators reach. It is important to maintain a clean work space around charging stations and work surfaces since clutter or tools could puncture tires or damage the machine or its components. Daily Maintenance It is important to conduct a visual inspection prior to operating and to consult the maintenance manual to ensure everything is up to date. Stabilizing the weight is accomplished supportive devices to lift and distribute the load. Chains, fasteners and straps need to be inspected regularly to ensure they are in optimum condition. Single-use fasteners and components must not be reused as they may fail and become extremely dangerous. It is vital to discard oils and solvents safely and efficiently to prevent contaminating the environment. Adequate ventilation and lighting are essential in garages, workshops and along workbenches. Maintenance is broad and typically categorized into subsections including Quarterly Maintenance, Annual Maintenance, Commissioning and Programmed Maintenance Intervals. Maintenance Inspection Report Main aspects of the boom lift are categorized and divided to facilitate the inspection process. Popular categories include Engine, Drive Chassis, Platform, Booms, Turntable, Controls and Function. Improper completion can result in unsafe operation, damage to components, poor performance and downtime. The maintenance inspection report extend the performance and service life of the machine and needs to be accurately maintained to ensure the machine is safe to run and that the machine is capable of performing properly. The term commissioning refers to a list of single maintenance procedures that need to be completed at 50- and 150-hour intervals to keep the machine optimally running. There is quarterly and annual maintenance protocol that is conducted once or many times during the year. Maintenance procedures are based on the operating hours of the boom lift and programmed maintenance may be conducted during pre-delivery machine preparation. Prior to operating your equipment, check your maintenance manual to make sure all of the fluid levels, oil changes, battery life and maintenance are up to date.